
Press (2)

Hydraulic presses

Mechanical presses (2)

Mechanical presses



ECCENTRIC PRESS 160 TON	
Model : 160_CNR6	
Manufacturer : PRESSIX	
ECCENTRIC PRESS PRESSIX TYPE 160 CNR6 - 160 TON	
TECHNICAL SPECIFICATIONS:	
RATED CAPACITY	
1600 KN	
RATED NUMBER OF STROKE	
55 C/MIN	
MOTOR SPEED	
1430 G/MIN	
VARIABLE STROKE LENGHT	
10-200 MM	

SLIDE ADJUSTMENT

110 MM

TABLE RAM DISTANCE

430 MM

BOLSTER DIMENSION

78 X 750 X 1250 MM

RAM DIMENSION

600 X 850 MM

DIAMETER OF BOLSTER HOLE

165 MM

DIAMETER OF SPIGOT HOLE

60 MM

DISTANCE BETWEEN UPRIGHTS

510 MM

DISTANCE FROM CENTRE OF BOLSTER TO FRAME

370 MM

PRESS DIMENSIONS (WXDXH)

3670 X 2380 X 1750 MM

MOTOR POWER

18,5 KW



ECCENTRIC PRESS PRESSIX 130 TON	
Model : 130 CNR6	
Manufacturer : PRESSIX	
ECCENTRIC PRESS PRESSIX TYPE 130 CNR6 - 130 TON	
TECHNICAL SPECIFICATIONS:	
RATED CAPACITY	
1300 KN	
RATED NUMBER OF STROKE	
60 C/MIN	
MOTOR SPEED	
1430 G/MIN	
VARIABLE STROKE LENGHT	
10-160 MM	
SLIDE ADJUSTMENT	

110 MM

TABLE RAM DISTANCE

430 MM

BOLSTER DIMENSION

78 X 700 X 1200 MM

RAM DIMENSION

550 X 800 MM

DIAMETER OF BOLSTER HOLE

165 MM

DIAMETER OF SPIGOT HOLE

60 MM

DISTANCE BETWEEN UPRIGHTS

510 MM

DISTANCE FROM CENTRE OF BOLSTER TO FRAME

340 MM

PRESS DIMENSIONS (WXDXH)

3430 X 2270 X 1720 MM

MOTOR POWER

15 KW

Product name	Category	Page
ECCENTRIC PRESS PRESSIX 130 TON - Saturday 05 July, 20	Mechanical presses	7
ECCENTRIC PRESS 160 TON - Saturday 05 July, 20	Mechanical presses	4